




















# ALCATEL

home & business phones

## Alcatel Business Phones 2015 Range



## Icon Glossary

-  Battery life time
-  Direct memory keys
-  Additional handset
-  Full duplex handsfree
-  Gigabit port
-  HD sound
-  Headset connection
-  Hearing protection
-  High fidelity sound
-  Incoming call and waiting message indicator
-  Integrated DECT base
-  Large HD display
-  Local phonebook
-  Network phonebook
-  Number of SIP accounts
-  Number of DECT microphones
-  Programmable keys
-  Redial
-  Wall mountable



## Table of Contents

### Conference Systems

Alcatel Conference 1500	04
Alcatel Conference 1800	05
Alcatel Conference IP1850	06

### SIP Phones

Temporis IP100	08
Temporis IP150	09
Temporis IP300	10
Temporis IP700G	11
Alcatel IP2015	12

### Accessories

Alcatel IP15 & IP70H	13
----------------------	----

### Analog Phones

Temporis 10, 180 & 380	14
Temporis 580 & 780	15

### Technical Features

SIP Phones	16
Analog Phones	18

# Conference Systems



## Alcatel Conference 1500

Junior version with 2 detachable mics

The best choice ever for your meeting rooms, of all sizes, to benefit from high quality sound and conduct natural, flowing conversations.

Our conferencing phones exist in analog and in IP technology.



### Key Features



- 2 detachable wireless DECT microphones
- 1 embedded microphone on the unit
- Full duplex hands free
- Unparalleled sound quality thanks to combination of dynamic noise reduction/echo cancellation/automatic gain control features and interference-free DECT technology
- 2-line backlit display
- 5 speed dial keys
- 50-entry phonebook
- 1 single power/telephone line connection module
- Talk time: 5h/standby time: 70h

# Conference Systems



## Alcatel Conference 1800

A whole new conference-call experience



### Key Features



- 4 detachable wireless DECT microphones
- 2 embedded microphones on the unit
- Full duplex hands free
- Unparalleled sound quality thanks to combination of dynamic noise reduction/echo cancellation/automatic gain control features and interference-free DECT technology
- 2-line backlit display
- 5 speed dial keys
- 50-entry phonebook
- 1 single power/telephone line connection module
- Talk time: 5h/standby time: 70h

# Conference Systems

## Alcatel Conference IP1850



All our audio conference solutions are fitted with detachable and smart mics:  
○ ultra-sensitive 360° surround wireless microphones  
○ mute feature  
○ long battery life to stay focused without having to keep track of time

### The conference call revolution

The SIP version: integrates seamlessly with most IP PBX & VoIP providers

The best choice ever for your medium-sized meeting rooms to benefit from HD sound and carry out natural and fluid conversations.



Smart microphones



#### PURE SOUND

PURE SOUND technology guarantees pure, crystal-clear sound

#### MOBILITY

Participants can sit anywhere they please in the meeting room and speak naturally

#### MODULARITY

Our audio conferencing solutions adapt to:  
○ the size and layout of your meeting room (rectangular, square or U-shaped table)  
○ the type of meeting, i.e. conference call in an office, or conference with small or large groups

#### Key Features



- 4 detachable wireless DECT microphones
- 2 embedded microphones on the unit
- HD Sound
- Full duplex hands free
- 3 soft keys for intuitive use
- Large backlit display
- 5 speed dial keys
- Local (200-entry) and network phonebooks
- 3 SIP accounts
- A single power/LAN connection module
- Talk time: 7h/standby time: 70h



# SIP Phones

## Temporis IP100 / Essential line



Where simplicity meets performance

The ESSENTIAL LINE offers the essential features required in the business environment. With their contemporary, compact design, shared with the analog corded range, these telephones fit into any workplace.



### Key Features



- 2 call appearances
- 10 multifunction keys, 5 of them supporting BLF
- 10 speed dial keys
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 1 SIP account
- PoE
- 2-position foot stand

# SIP Phones

## Temporis IP150 / Essential line



Efficiency and comfort above all



### Key Features



- 158x57 backlit graphical display
- Full duplex hands free
- 10 multifunction keys, 5 of them supporting BLF
- 10 speed dial keys
- Local phonebook (100-entry, downloadable), LDAP
- Headset port and dedicated key
- Plug & play provisioning with APRT support
- 2 SIP accounts
- PoE
- 2 Ethernet ports (10/100)
- 2-position foot stand

# SIP Phones



## Temporis IP300 / Evolution line

Feature-rich phone with DECT mobility

The EVOLUTION LINE features an embedded DECT base for pairing with a DECT handset and/or headset. This function is unique on the IP phone market, providing flexibility and mobility combined with comfort.

Create your own bundle



Temporis IP315



Temporis IP370



### Key Features



- Embedded DECT base
- Can be paired with a handset (Alcatel IP15) and/or a headset (Alcatel IP70H)
- 158x57 backlit graphical display
- HD sound
- Full duplex hands free
- 12x2 dual color multifunction keys supporting BLF
- Local phonebook (200-entry, downloadable), LDAP, blacklist
- Headset port and dedicated key
- 2x10/100 Ethernet ports
- Plug & play provisioning with APRT support
- 3 SIP accounts
- PoE

# SIP Phones



## Temporis IP700G / Evolution line

DECT mobility, Gigabit power



Create your own bundle



Temporis IP715G



Temporis IP770G



### Key Features



- Embedded DECT base
- Can be paired with a handset (Alcatel IP15) and/or a headset (Alcatel IP70H)
- 206x128 backlit graphical display
- HD sound
- Full duplex hands free
- 16x2 dual color multifunction keys supporting BLF
- Local phonebook (200-entry, downloadable), LDAP, blacklist
- Headset port and dedicated key
- 2 Gigabit Ethernet ports
- Plug & play provisioning with APRT support
- 5 SIP accounts
- PoE

# SIP Phones



## Alcatel IP2015 / Mobility line

### The essence of mobility

Our MOBILITY range is ideal for small businesses looking for a true micro-system with a feature-rich package. The additional Alcatel IP15 handset can also be paired to any DECT base, extending the existing solution at a very competitive price.



Up to 6 handsets



### Key Features

- IP DECT with an out-of-sight base
- 4 concurrent calls in HD
- Up to 6 handsets, 6 independent SIP accounts
- Black & white HD display with white backlight
- Full duplex hands free
- Local, shared and network phonebooks
- PoE
- Handset software upgrade over the air (SUOTA)
- Belt clip and headset jack

# Accessories

## Alcatel IP15 & Alcatel IP70H

### Scale your solution to your company's needs



Works with Temporis IP300, Temporis IP700G and Alcatel IP2015

### Alcatel IP15

#### Key Features

- Black & white HD display with white backlight
- Backlit keypad
- Belt clip and 2,5mm headset jack
- talk time: 7 hours/standby time: 168 hours



Works with Temporis IP300, Temporis IP700G

### Alcatel IP70H

#### Key Features

- DECT GAP portable part
- High quality sound
- Hearing protection
- Talk time: 9 hours
- 3 wearing styles

# Analog Phones



## Temporis 10, 180 & 380

Efficient and affordable

The TEMPORIS analog range offers a pure and contemporary design, dedicated business features and outstanding user-friendliness.



### Temporis 10

Key Features  

- Incoming call indicator
- Waiting message indicator
- Wall mountable

### Temporis 180

Key Features   

- Incoming call and waiting message indicator
- Last number redial
- Wall mountable



### Temporis 380

Key Features   

- Hands free
- 10 direct memory keys
- Direct access key to headset mode
- Incoming call and waiting message indicator
- Wall mountable



# Analog Phones



## Temporis 580 & 780

ENHANCED features, EMPOWERED performances



### Temporis 580

Key Features   

- 2-line display
- Hands free
- 10 direct memory keys
- Direct access key to headset mode
- 50-entry phonebook
- Wall mountable



### Temporis 780

Key Features    

- Large 3-line display
- Hands free
- 10 lockable memory keys
- Direct access key to headset mode
- 170-entry phonebook
- Dedicated menu for installers to set specific features





# SIP Phones

## Technical features



Temporis IP100



Temporis IP150



Temporis IP300



Temporis IP700G



Alcatel IP2015



Alcatel Conference IP1850

	Temporis IP100	Temporis IP150	Temporis IP300	Temporis IP700G	Alcatel IP2015	Alcatel Conference IP1850
<b>MAIN FEATURES</b>						
Display	-	158x57 backlit graphical display	158x57 backlit graphical display	206x128 backlit graphical display	90x65 backlit graphical display	158x57 backlit dot matrix display
Call log	Available from web interface	100 (received, dialed, missed)	200 (received, dialed, missed)	200 (received, dialed, missed)	200 (received, dialed, missed)	200 (received, dialed, missed)
Handsfree	-	Full duplex	Full duplex	Full duplex	Full duplex	Full duplex
Phonebook	Available from web interface	Local (100, downloadable) and network (LDAP)	Local (200, downloadable) and network (LDAP)	Local (200, downloadable) and network (LDAP)	Local (200), shared (200, downloadable) and network (LDAP)	Local (200 downloadable) and network (LDAP)
Embedded DECT base	-	-	√	√	√	-
Languages	-	10	10	10	10	10
Headset	Headset key and port	Headset key and port	Headset key and port	Headset key and port	Headset port	-
SIP account(s)	1	2	3	5	6	3
PoE	√	√	√	√	√	-
<b>OTHER FUNCTIONS</b>						
Multiple call operation	Up to 2	Up to 6	Up to 6	Up to 6	Up to 4	Up to 6
Speed dial	10 (long press)	10 (long press)	10 (long press)	10 (long press)	10	10 (long press)
Programmable keys	10 (multifunction, 5 of them backlit) Up to 18 functions	10 (multifunction, 5 of them backlit) Up to 18 functions	12x2 dual color backlight (multifunction)	16x2 dual color backlight (multifunction)	-	-
Visual indicators	Incoming call, waiting message, no service, mute	Incoming call, waiting message, no service, mute	Incoming call, waiting message, no service, mute, headset	Incoming call, waiting message, no service, mute, headset, DND activated	Incoming call, missed call, no service, waiting message	Incoming call, mute
Mute	√	√	√	√	√	√
Direct access key to voicemail	√	√	-	√	-	-
R,*,# key	√	√	√	√	√	*, #
Hold	√	√	√	√	√	√
Transfer	√	√	√	√	√	√
Call forward	√	√	√	√	√	√
Call deflection	-	√	√	√	-	-
Redial	√	√	√	√	√	10
3-way conference	√	√	√	√	√	√ (depending on your solution)
Melodies	10	10	10	10	10	10 (4 polyphonic)
Keypad lock	-	-	-	-	√	-
Hotline	√	√	-	-	-	-
Menu for installers	√	√	√	√	√	√
Detachable DECT microphones	-	-	-	-	-	4
<b>NETWORK &amp; IPBX INTEGRATION</b>						
Network conference	√	√	√	√	√	√ (according to your solution)
BLF, BLA, DND & CF synch	√	√	√	√	DND & CF synch	-
Intercom, paging, music on hold	√	√	√	√	√	Music on hold
Group pick up, call park	√	√	√	√	√	√
Distinctive ringtone	√	√	√	√	√	√
Redundancy	√	√	√	√	√	√
DHCP/static IP, VLAN, LLDP, 802.1x, DSCP	√	√	√	√	√	√
Supported codecs	G711, G722, G726, G729	G711, G722, G726, G729	G711, G722, G726, G729	G711, G722, G726, G729	G711, G722, G726, G729	G722, G711, G726, G729
Web interface configuration and provisioning files (http(s), tftp)	√	√	√	√	√	√
Supports redirection service (APRT)	√	√	√	√	√	√
<b>INTERFACES</b>						
RJ-45 auto sensing 10/100/1000 Mbps	1 (10/100)	2 (10/100)	2 (10/100)	2 (10/100/1000)	1 (10/100)	1 (10/100)
Line cord	-	-	-	-	-	RJ45/RJ45
Power adaptor	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, not provided)	√ (5Vdc, provided)
Headset port	√ (RJ9)	√ (RJ9)	2.5mm jack	2.5mm jack	2.5mm jack	-

# Analog Phones

## Technical features



Temporis 10



Temporis 180



Temporis 380



Temporis 580



Temporis 780



Alcatel Conference 1500



Alcatel Conference 1800

### MAIN FEATURES

Display	-	-	-	Alphanumerical display 1 line of text + 1 line of icons	Dot matrix alphanumerical display 3 lines of text + 1 line of icons	2 line backlit dot matrix display	2 line backlit alphanumerical display
Call log	-	-	-	30	70	50	50
Handsfree	-	-	√	√	√	Full duplex	Full duplex
Phonebook	-	-	-	50	170	50	50
Languages	-	-	-	7	7	7	7
Headset	-	-	Headset key and port	Headset key and port	Headset key and port	-	-

### OTHER FUNCTIONS


Speed dial	-	-	10	10	10	5 (shortcuts)	5 (shortcuts)
Visual indicators	Incoming call, waiting message	Incoming call, waiting message	Incoming call, waiting message	Incoming call, waiting message and missed call	Incoming call, waiting message and missed call	Incoming call	Incoming call
Mute	√	√	√	√	√	√	√
R, *, # key	√	√	√	√	√	√	√
Redial	1	1	1	5	5 (possibility to erase the memory)	10	10
3-way conference	-	-	-	-	-	√ (depending on your solution)	√ (depending on your solution)
Melodies	1	2	4	4	10	10 (4 polyphonic)	10 (4 polyphonic)
Keypad lock	-	√	√	√	√	-	-
Dialing type	Tone/Pulse	Tone/Pulse	Tone/Pulse	Tone/Pulse	Tone/Pulse	Tone/Pulse	Tone/Pulse
Flash time	100, 300, 600 ms	100, 300, 600 ms	100, 285, 600 ms	100, 285, 600 ms	100, 285, 600 ms	80, 100, 120, 180, 200, 250, 300, 600	80, 100, 120, 180, 200, 250, 300, 600
Menu for installers	-	-	-	-	√	-	-
Detachable DECT microphones	-	-	-	-	-	2	4

### INTERFACES

Line cord	RJ11/RJ11	RJ11/RJ11	RJ11/RJ11	RJ11/RJ11	RJ11/RJ11	RJ11/RJ11	RJ45/RJ11	RJ45/RJ11
Power adaptor	Line powered	Line powered	Line powered	Line powered	Line powered	Line powered	√ (power supply provided)	√ (power supply provided)
Headset port	-	-	√ (RJ9)	√ (RJ9)	√ (RJ9)	√ (RJ9)	-	-

# ALCATEL

home & business phones



DISCOVER  
OUR OFFER

  Alcatel Business Phones

[www.alcatel-business.com](http://www.alcatel-business.com)

ATLINKS Europe - 22 Quai Gallieni - 92150 Suresnes-France. ATLINKS Europe is a simplified joint stock company capitalized at €500,000. Registered under no. 508 823 747 in the Nanterre Trade and business Register. The manufacturer reserves the right to change product features to deliver technical improvements or comply with new regulations.

The Alcatel logo and Alcatel name are trademarks of Alcatel-Lucent and are used under licence by Atlinks Europe.

© Copyright ATLINKS Europe 2014. Reproduction prohibited.

Non binding pictures.